DO NOT ENTER

1

PATENT Atty. Dkt. No. NVDA/P000854

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

de Waal

Serial No.: 10/626,011

Filed:

July 23, 2003

For:

SYSTEMS AND METHODS

FOR WINDOW ALIGNMENT

GRIDS

*തതതതതതതതതത* 

Confirmation No.: 9953

Group Art Unit:

2179

Examiner: Tuyetlien T. Tran

8-20

MAIL STOP AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

## **RESPONSE TO FINAL OFFICE ACTION DATED MAY 2, 2007**

Dear Sir:

In response to the Office Action dated May 2, 2007, having a shortened statutory period for response set to expire on August 2, 2007, please enter this response and reconsider the claims pending in the application for the reasons discussed below. Although Applicant believes that no additional fees are due in connection with this response, the Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/NVDA/P000654/JCC for any fees, including extension of time fees, required to make this response timely and acceptable to the Office.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper. Remarks/Arguments begin on page 8 of this paper.